

New interactive monitors

DABLIUTOUCH

E13R-BG Series **Business** | Powered by Android™

Android is a trademark of Google LLC

Google
EDLACertified



 wacebo

wacebo | first Italian brand to obtain EDLA certification!

Google compatibility

User Friendly

The **Google EDLA** certification for our **DABLIUTOUCH** designates them as the **ultimate tool for productivity and collaboration**, ideal for both business and educational users.

All without needing external devices!



what is ?

Google EDLA

EDLA, which stands for Enterprise Devices Licensing Agreement, is a protocol launched by Google. When combined with the **DABLIUTOUCH** interactive monitor, **it delivers rapid processing, advanced security, and broad access to apps from the Google Play Store!**

Make meetings and presentations **extraordinary!**

DABLIUTOUCH monitors make **your work simple and versatile**. Choose your preferred size and enjoy **the stunning 4K UHD display!**

Google EDLACertified



65"

75"

86"

100"


Dimensions	1441× 816 mm	1651× 929 mm	1896 × 1065 mm	2259 × 1338 mm
Contrast	6000:1	6000 :1	6000 :1	5000:1
Brightness	550 cd/m ² (typ.)	550 cd/m ² (typ.)	550 cd/m ² (typ.)	550 cd/m ² (typ.)
Weight Vesa	38 kg	52 kg	63 kg	96 Kg
	500×400mm M8×25mm	600×400mm M8×25mm	800×400mm M8×25mm	800×400mm M8×25mm



50
simultaneous
touches!

Work with a system **that integrates perfectly** with your **accounts and resources!**

Google!



NFC to grant access only to authorized users



Lower cover in black fabric



Front data and video ports with a metal door cover

Hotels, large meetings & conference rooms

Thanks to its **exclusive Made in Italy design**, Wacebo's **DABLIUTOUCH** interactive monitors **seamlessly adapt to any environment!**



Chrome



Google Drive



Google Meet



Play Store

the entire **Google** ecosystem
at your fingertips!





Emotional sound!

The new **integrated subwoofers** offer an unrivaled **immersive audio experience!**



Google

EDLACertified

Android is a trademark of Google LLC



Thanks to the EDLA certification on our **DABLIU** monitors, you will have

valuable services

Google play Service & Google play protect !



Google Play
Protect



Split screen function for file comparison

The split screen function allows for file comparison and enables you to duplicate the whiteboard app. This feature facilitates **simultaneous annotations for corrections or highlighting key points in a project**, making presentations simple, dynamic, and intuitive.

New multiuser function



The new Dabliu Touch E13R-BG models are designed to support the creation of **up to 9 fully customizable accounts**. Each account can be protected with a unique password, ensuring **security for every user**.



Multi-windows function

This new feature allows you to effortlessly enjoy **multiple contents and applications simultaneously** by opening and arranging various windows on the screen. **Each user can interact with the screen independently and autonomously**.

Endless productivity apps



Certified product



for **effortless work**: Google Chrome for browsing, Microsoft Office for document viewing, Teams, Cisco Webex, Kahoot, and more. Install additional apps via the Play Store to **enhance and optimize your productivity!**

Meetings & presentations **come to life!**

Google
EDLACertified



Combining the entire **Google ecosystem** with **Wacebo's product quality**, we create a **unique offering** featuring dynamic content and unparalleled engagement!



Interactive whiteboard

Create shapes and drawings to **unleash your creativity**. The interactive whiteboard features **differentiated and simultaneous touch functionality** for pen, finger, and fist gestures, with **palm detection** distinguishing between the palm and writing tools. Enjoy additional features such as an **eraser function, zoom in, and zoom out**.



Multigesture



Up to 50 simultaneous touches



New Palm Detection feature

Perfectly integrated with Google accounts!



Google EDLACertified
Enterprise Devices Licensing Agreement




DABLIU
Note 2.0

Once the **DabliuNote 2.0 app** is launched, you can **create a new note and select from various backgrounds** - striped, squared, or completely white. Start using the monitor to **draw shapes or paths with either your fingers or the provided pen**. Easily **undo or redo modifications, and change the color and thickness of your traces** with different touch options such as pen or pencil. When finished, **save your work locally on the drive or share it via QR code or email**.

Advanced reproduction of contents and dynamic presentations, what are you waiting for?

Enhance your workspace today!



Air quality
detection sensor



Convenient
sidebar for quick app
navigation



Video conferencing
system
(accessory not included)



Multiwindows function to
enjoy multiple contents
simultaneously



Google
EDLACertified



- Wireless screen transmission
- Included mirroring app
- Cable connection option available

E13R-BG Series **Business** | Powered by Android™

Android is a trademark of Google LLC

120° wide angle and 4K UHD optics videoconferencing system

Specifically designed for both small and large meeting rooms, it facilitates meetings and video conferences by capturing all participants within the frame.


Technical specifications

Resolution	Up to 3840 x 2160P @25 fps Image editing output
Image sensor	8.3M CMOS effective pixels (16: 9); Real 4K
Sensor dimensions	1/2.8"
Digital noise reduction	Digital noise reduction 2D.3D
Hardware requirements	P2.8GHz intel@Core 2Duo processor or higher; USB2.0 interface
Image output format	MJPEG/YUY2
Operating voltage	DC 5V
Operating current	<350mA
Pixel	12M pixel
Resolution	MJPEG:3840*2160/1920*1080/1280*960/ 1280*720/640*480/800*600
Maximum resolution supported	3840*2160P@25 frame
Maximum resolution supported	105°±5°
Maximum viewing angle Horizontal	90°±5°
Optical distortion	≤-0.6%
Lens adjustment	Auto Focus
Viewing angle adjustment	15° downwards
White balance	Auto Focus
Backlight compensation	Auto Focus
Interface mode	USB 2.0
Number of MIC array	Built-in 8 Mic Arrays, detect sound within 8 meters from the front, including noise
Drive standard	UVC/UAC National standard
Operating system	Support Windows XP SP2 or above, win7, win8.1, win10, Linux 2.6.20 or above, Android 7.0 or above
Operating temperature	0-50 degrees
Storage temperature	-30-70 degrees
Product size	292*41*31mm


Auto Detection function allows the camera to

follow the presenter

wherever he goes!



Auto Detection Function



Audio optimized for acoustics




Wide-angle with 120° field of vision

Accessory not included, it can be purchased separately


DABLIUTOUCH | E13R-BG Series Business

Innovation in display technology!



ZeroGap Bonding technology

Unlike traditional displays, it eliminates all layers between the glass and the LCD panel. This design removes air gaps, resulting in an exceptional visual experience with enhanced touch responsiveness, reduced reflections, and a superior viewing angle.



PM 2.5 air quality detection sensor

The term PM2.5 refers to particles with an aerodynamic diameter of 2.5 μm or less. These particles are smaller than PM10 and are included within the PM10 category.

E13R-BG Series **Business** | Powered by Android™

Android is a trademark of Google LLC




Touch parameters

Frame rate	>300 hz
Touch technology	Infrared multi-scan technology
Touches supported	Up to 50 simultaneous touches
Accuratezza touch	± 0.5mm (area touch superiore al 90%.
Writing mode	Fingers, pen, or non-transparent tool
Response time	< 3 ms

Operating system

Operating system	Android™ 13
CPU	Quad-core Cortex-A76 + Quad-core Cortex-A55
GPU	ARM Mali-G610 MP4
RAM	8GB DDR4
ROM	128GB Byte
WiFi	WiFi 6 2.4G + 5G Dual WiFi
Bluetooth	Bluetooth 5.2

Back ports



Power and consumption

Power supply	100-240V - 50/60Hz 4.5A
Operational consumption	350W ^{65"} 450W ^{75"} 500W ^{86"}
Standby consumption	0.5 W

Display

Display features	DLED
Resolution	4K UHD 3840 × 2160 60hz
Display ratio	16:9
Color depth	1.07 Billion
Freq. update	60 Hz
Viewing angle	178°(H)/178°(V)
Life time	> 50.000 Hrs
Tempered glass	7 mohs thickness 4 mm


Audio

Channels	2.1
Speaker	Tweeter:2*15W , Woofer: 1*20W (Max. output)
Sound output direction	Front slot + bass output

Environmental data

Operating temperature	0 °C - 40 °C
Storage temperature	-20 °C - 60 °C
Operating humidity	10 % - 90 % (without condensation)

Front ports



Supplies

Power cable 3m x1, Pen x 2, WiFi Antenna x 4, HDMI 3m x 1, USB A-B 3.0 3m x 1, NFC Card x 2



Viale Gianluigi Bonelli, 40 | 00127 Rome (RM) | ITALY
Ground Floor 12 Craven Road | London W5 2UA | UNITED KINGDOM
7345 W Sand Lake Rd Ste 210 | Orlando, FL 32819 | USA